



Pandemic Plan

Emergency Procedures

Health: Pandemic Procedure

Rationale: Marist Catholic School has an agreed procedure to follow if a pandemic alert occurred.

Note: This pandemic procedure is specific to an influenza/ Coronavirus type incident. Should a pandemic alert occur which is not of this type the school will adopt and amend the steps / documents detailed herein to deal with the incident appropriately.

February 2020

Contents

Context	2
Pandemic characteristics and impact	
Legislation	
Pandemic Planning	5
Pandemic Management Team (PMT)	
Knowledge management	
Activation of pandemic action plan	6
Stage 1	
Stage 2	
Stage 3 and 4	
Communication with the school community	
How can we protect staff, students and visitors from getting sick?	
1. Best practice guidelines.....	12
A. Hand hygiene notices	
B. Screening flowchart	
C. Influenza staff notice 1	
D. Influenza student notice 2	
E. Closure notice	
F. Suspected Influenza Notification Form	
G. Contact list	
H. Personal Protective Equipment (PPE)	
I. Letter to parents/caregivers: introduction to pandemic planning	
J. Contact details	
K. Pandemic Stage 2 Letter	
L. The difference between influenza and a common cold	
2. Background information on influenza pandemic.....	29
3. Sample decision making and communication tree.....	31

Context

What are the powers of Medical Officers of Health in a pandemic emergency?

Activation of the National Health Emergency Plan begins when the Ministry of Health learns of a potential national health-related emergency, such as an influenza pandemic. Medical Officers of Health will be working as part of each district's and region's health response coordination team and have wide ranging powers designed to prevent the outbreak or spread of any infectious disease. These powers include the ability to:

- require people to submit themselves for medical examination
- require people, places, buildings, ships, animals, and things to be isolated, quarantined, or disinfected
- forbid persons, ships, animals, or things to be brought to any (air or sea) port or place in the health district from any port or place supposed to be infected
- forbid persons to leave a place or area until they have been medically examined and found to be free from infectious disease
- require theatres, churches, bars, clubs and other public gathering places to be closed
- prohibit the attendance of students under the age of 16 years in schools, Sunday schools, and other public places within the district
- have infected animals destroyed.

How should Schools liaise with health authorities?

The Chief Medical Officer of Health (Ministry of Health) or local Medical Officers of Health, or another designated officer attached to the public health service would provide leadership, direction and guidance as to what to do – remain open, close or reopen.

- It is important to know how to make contacts with your local [District Health Board \(DHB\)](#) or Public Health Service so that you can obtain advice on local circumstances during a pandemic to inform your actions.
- Only if possible, adopt a single point of contact through which local advice to ECE/Schools/TEOs can flow. Groupings such as established clusters, principals' associations and other sector organisations could help play a significant role. Now is the time to agree how you will group together for this purpose in your area.

What does closure mean?

Closing ECE/Schools/TEOs to students would not necessarily mean that facilities would be closed in a quarantine sense. Staff may still go to work, work remotely, or carry out 'alternative duties' for other agencies with their board's pre-approval. Facilities may also be used for alternative purposes such as Community Based Assessment Centres (CBAC).

However, during a pandemic the Chief Medical Officer of Health (Ministry of Health) or local Medical Officers of Health, or another designated officer attached to the public health service would provide leadership, direction and guidance as to what to do – remain open, close or reopen.

Why A Need For A Pandemic Procedure?

- To ensure that as a community we have a pandemic plan in place as a component of our emergency planning

- To ensure that we maintain as full service as possible for as long as possible during a pandemic emergency (consistent with State Services Commission Guidelines).
- To consider alternative means of delivering education to our students (for example, distance learning options) during such an event.
- To ensure that Marist Catholic School is part of New Zealand's National Health Emergency Plan to help prevent the influenza spreading. School closure aims to reduce close contact between children (children have been known to remain infectious for up to 21 days whereas the risk period is only fourteen days for adults). Closures do not mean facilities would be closed for quarantine. Staff may still go to work, work remotely or carry out additional or alternative duties for their employer or another agency.
- To understand that a pandemic may come in several waves over a 6-8 month period. At the peak of the worst pandemic wave, up to 50% of the workforce may be sick, looking after sick dependants or carrying out 'alternative duties' in priority areas for their employer or another agency. (such as health or welfare roles)

Pandemic characteristics and impact

A pandemic has unique characteristics when compared with a more "typical" disaster. For example:

Widespread impact

The impact of a pandemic would likely be widespread, even nation-wide, not localised to a single area and there may be little outside assistance. Many business continuity plans assume some part of an organisation is unaffected and can take up the required capacity.

Not a physical disaster

A pandemic is not a physical disaster. It has some unique characteristics that require measures to limit contact, restrict movement, introduce quarantine and ban public gatherings.

Duration

A pandemic would not be a short, sharp event leading immediately to the start of a recovery stage. A pandemic emergency may last several weeks or months. Plans need to take this into account.

Notice

Some advance warning is likely if a pandemic develops overseas, but that warning period may be very short. Should pandemic influenza spread within New Zealand the education sector would most probably be one of the first sectors to be closed and closures sustained

Primary effect is on staffing levels

Unlike natural disasters where disruption to infrastructure and service delivery is likely to be related to hardware, a pandemic is more of a threat to staff. Employers will need to plan for the scenario of up to 50% staff absences at the height of a severe pandemic. Ministry of Health modelling shows that two weeks leave is the average amount of leave required for sickness and recovery of a staff member. Overall, a pandemic wave may last about eight weeks, though the pandemic may come in several waves of varying severity over time.

Staff absences can be expected for many reasons, including:

- illness or incapacity (suspected or actual)
- their need to stay at home to care for sick dependents

- they may feel safer working from home (for example, to keep out of crowded places such as public transport – public transport may cease)
- some people may be assigned to ‘alternative duties’ for their employer or another agency (such as health or welfare roles)
- others may need to stay at home to look after pre-school and school-aged students (as early childhood education services and schools may be closed).

A pandemic may have other impacts on services, for example:

- supplies of materials needed for ongoing activity may be disrupted when, for example, supplies are normally imported across borders that have been closed or are being tightly controlled
- services from sub-contractors may be affected (impacting maintenance of key equipment and this issue merits close planning attention)
- demand for infrastructure services may be affected – demand for some services may increase (internet access is a possible example); while demand for others may fall (for example, types of travel activity may reduce)
- education delivery is not expected to continue during a pandemic. In a pandemic early and enforced sustained closure of education facilities to children and students is the most likely scenario.

Legislation

Compliance with the Health and Safety in Employment Act 1992

In addition to requirements under the Civil Defence Emergency Management Act, pandemic planning will help ECE/Schools/TEOs ensure they meet their obligations under the Health and Safety in Employment Act, including:

- Section 6: All practicable steps
“Every employer shall take all practicable steps to ensure the safety of employees while at work; and in particular shall take all practicable steps to:
 - provide and maintain for employees a safe working environment
 - provide and maintain for employees while they are at work facilities for their safety and health...”
- Section 28: [Employees may refuse to perform work likely to cause serious harm](#)
“An employee may refuse to do work if the employee believes that the work that the employee is required to perform is likely to cause serious harm to him or her...”

Pandemic Planning

The pandemic plan will be activated when the MoH determine a Pandemic rating for NZ and/or at the discretion of the Principal acting in their capacity or by agreement of the Board of Trustees

Pandemic Management Team (PMT)

Marist Catholic School's Pandemic Management Team will consist of:

Sarah Gleeson - Principal

- The Pandemic Manager is the principal and therefore would be primary liaison agencies on behalf of the Pandemic Management Team.
 - *In the event of the Principal becoming sick the Deputy principal will join the PMT.*
 - *In the event that both the Principal and deputy is ill, the Board will make a decision on the next steps for the school*

Brendan Thawley - Board of Trustees Chairperson

Suzanne Sherwin - Board member (parent representative)

- *In the event of either or both of the BoT's becoming sick another member will join the PMT.*

This team will:

1. Assemble to enable close and frequent monitoring of the situation and speed up decision making
2. Be identified as the primary contact points with DHB, MoH and MoE and Public health nurse
3. Establish a system to monitor staff who are ill or suspected of being ill, including contacting staff who are unexpectedly absent from work: – has their doctor been notified of their illness? Have they been in contact with anyone?
4. Ensuring Marist Catholic School has adequate supplies of tissues, medical and hand hygiene products, cleaning supplies and masks.
5. In the event of a pandemic that Marist Catholic School liaise closely with the Public Health Nurse.

The Ministry of Education will keep regional and local Ministry offices, education agencies and education sector groups informed of these changes.

Leadership and direction will come centrally from the Ministry of Health or health local authorities or via the Ministry of Education. The Ministry of Health would expect widespread and immediate closures of educational facilities.

Knowledge management

Key operating and emergency management information will be stored in hard copy in the office as well as linked in the Accident, Injury and Illness Procedure, accessible on BoT Google site.

1. The Ministry of Health will widely publicise any changes to the “alert codes” (these are sent to the principal via email and text message), and may signal the need to activate pandemic and continuity plans.
2. The principal will contact the Board
3. The PMT will have an emergency meeting to make/activate the necessary decisions/actions.

Activation of pandemic action plan

STAGE 1

When a suspected Pandemic is occurring outside NZ with no known cases in NZ

- Management update board on preparedness and Pandemic Plan updated
- Implement regular (daily) monitoring of MoH information
- Implement register of students and family members travel
- Act on guidance provided by Public Nurse and/or MoH or DHB (e.g. 14 day stand down for travellers or those in contact with people from suspected infected areas)

STAGE 2

When Suspected Pandemic is occurring and there is >1 case in NZ

- Implement specific hand washing and coughing protocols at school (i.e. specific learning session about both in class time) daily
- Communicate with community about what plans are in place and support families
- Activate Pandemic Management Team
- Take other actions deemed necessary by Management Team (e.g. order more soap, masks, disinfect classrooms daily)
- Display poster reminders around school and/or send home to parents
- Other actions as instructed by Nurse or MoH (e.g. contact bans etc)
- Parent / Child contact register is updated to minimum 90%+ accuracy
- Test that all students can log into the team work environment from home (in the event that home schooling is required during school closure)
- Board management will test calling tree
- The principal has sole discretion to prevent any person from entering the school on suspicion of contact or illness. (That being a student, a teacher, caregiver and other person)
- If staffing on stand down or ill >5, then recommends school is closed (too many large classes where infection could spread)

STAGE 3 and 4

During pandemic

- Immediate actions need to be answered
- Draft communication to be sent to parents in the event of school closure and a process / checklist
 1. if it happens during mid morning and parents are told to collect children.
 - Students will be sent to designated areas in families alphabetically
 - Parents will be notified by email, app alert and called via phone.
 - Parents will come to the hall and their children will be brought to them
 - As students are collected parents/caregivers will sign them out on a register
 - Principal and deputy will remain onsite until all students have been collected
 2. If it happens after school
 - Communication via email, app alert and phone tree will be sent
 - A sign will be posted at the main gate of the school "closed"
 - Principal will be at the gate in the morning to turn away any children "dropped off"

During the event of the school being closed teachers will send work via email to parents/students to ensure that learning continues.

Communication with the school community

It is likely there will be anxiety during a pandemic and this is likely to contribute to increased absence and/or increased stress to the Board of Trustees, staff, parents/whanau and students. Accordingly we will:

- Communicate early the possibility of a pandemic and Marist Catholic School's preparedness to manage it – to the board, staff, students, parents and whanau.
- Discuss with staff possible health and safety issues, and leave arrangements for them if they are ill or need to look after dependents.
- Have a comprehensive plan in place which is clearly communicated to the board, staff, students, parents and whānau. Ensure that communications management during the pandemic is part of the plan.
- In activating the plan, provide clear, timely and proactive communications to the board, staff, students, parents and whanau explaining how our school is handling the situation.
 1. Establish a “communications tree” for our school to circulate important messages. We have considered how we will maintain communication:
 - with: board, staff, student, parents and whanau other schools in our area/cluster relevant agencies and community support networks key suppliers and contractors.

Communication links

Build communication links with key contacts, relevant agencies and community support networks:

- Staff, students, parents and whānau
- Ministry of Education regional or local office
- [New Zealand School Trustees Association](#) (NZSTA): phone 0800 STAHELP or email helpdesk@nzsta.org.nz
- Other ECE/Schools/TEOs in your cluster/area
- Your doctor, if possible
- Child Youth and Family (CYF) local offices
- Welfare Advisory Group (WAG).

Local government [Civil Defence Emergency Management \(CDEM\)](#) groups and Regional Civil Defence Emergency Management (CDEM) groups are consortia of local authorities, emergency services (police, fire, health), lifeline utilities and others working together within regional boundaries - administered by regional councils.

How might shortages of supplies affect you?

Shortages of supplies may occur because of increased demand during the pandemic (for example, cleaning supplies). Marist Catholic School will monitor this..

How can we protect staff, students and visitors from getting sick?

Although we expect widespread centrally coordinated closures during a pandemic event, the following section has been developed to enable us to remain open during localised events like annual influenza.

To minimise illness among staff, students and visitors we will:

- Restrict entry of people with influenza symptoms.
- Practise good personal hygiene and workplace cleaning habits.
- Increasing social distancing (by minimising close physical contact and avoiding situations where staff or students may come into contact with infected people, such as outings to enclosed places.
- Manage staff and students who become ill.
- Manage any staff and students who are travelling overseas or who have recently returned from affected countries.

Table 1 - Summary of Influenza Protection Measures

Protection measure	Where applicable
Hand hygiene, cough etiquette, ventilation	Everyone, all the time
Health and safety policies	Everyone, all the time
Social distancing	Everyone, whenever practical stay at least one metre away from other people.
Protective barriers	In situations where regular work practice requires unavoidable, relatively close contact with the public, for example, reception areas.
Disposable surgical mask	Sick people coughing and sneezing Staff having close contact with suspected infected people, for example, in sick bay caring for the sick (this includes first aiders) Also as a possible adjunct to protective barriers.
Disposable particulate respirator masks, eye protection, gloves, gowns, aprons	Health care workers participating directly in close contact patient care when there is a high risk of contact with respiratory secretions, particularly via aerosols (mostly inpatient settings). Unlikely to be necessary in schools.

Restrict workplace entry of people with influenza symptoms

On declaration of Code Red, notices will be put up at all entry points, advising people not to enter if they have influenza symptoms.

Children or students who are unwell should remain at home. Staff, parents and whānau should be advised not to come in when they are feeling unwell, or if they are exhibiting any influenza symptoms.

Any registered ill students and staff will be recorded and monitored to ensure they have completed any required quarantine period and are healthy before returning to school.

Students and staff who have recovered from the pandemic influenza are unlikely to be re-infected (they will have natural immunity) and should be encouraged to return as soon as they are well.

Personal hygiene

Personal hygiene measures will be reinforced as a key way to minimise influenza transmission:

- Cover nose and mouth when sneezing and coughing (preferably with a disposable single use tissue).
- Immediately dispose of used tissues.
- Adopt good hand washing and drying practices, particularly after coughing, sneezing or using tissues.
- Keep hands away from the mucous membranes of the eyes, mouth, and nose.
- Ensure that adequate supplies of hand hygiene products are available. This is a high planning priority as there may be shortages of liquid soap and paper towels.

Communicate hand and personal hygiene information to staff and visitors:

- Hygiene notices will be posted in all workplace entrances, washrooms, hand washing stations and public areas. The notice examples provided (see the Resources section).
- Use brochures, newsletters, global emails, notice boards, and information included with payslips, informing staff, whānau and students of the importance of hand hygiene and workplace cleaning at all times, especially during a pandemic.

Cleaning

During a pandemic Marist Catholic School will be closed, but we may need to clean thoroughly to destroy any virus. This applies particularly to hard surfaces (for example, sinks, handles, railings, objects and counters). Influenza viruses may live up to two days on hard surfaces.

Influenza viruses are inactivated by alcohol and by chlorine. Cleaning of surfaces with a neutral detergent followed by a disinfectant solution is recommended. Surfaces that are frequently touched with hands should be cleaned often, preferably daily. Information about the appropriate choice and concentration of disinfectants can be found on the [Ministry of Health](#) website.

- Hygiene practices will be elevated in a pandemic to an even higher level than usual.
- Staff and students will be reminded not to share cups, dishes and cutlery; and ensure these items are thoroughly washed with soap and hot water after use.
- Books, magazines and papers will be removed from common areas.
- Communal use of some play, physical education equipment and office equipment will be restricted.
- When a person with suspected influenza is identified and has left, it is important that their work area or office and any other known places they have been are thoroughly cleaned and disinfected.

Ventilation

The [Ministry of Health](#) and the [Department of Labour](#) recommend all internal spaces should be well ventilated, preferably by fresh air via opening windows, or by properly designed and maintained air-conditioning systems.

Social distancing

In primary schools social distancing may be difficult to achieve, but any raising of awareness or any level of compliance will be useful.

Social distancing is a strategy to protect staff and students during a pandemic by minimising their contact with others. Events involving large gatherings should be avoided, whether inside or outside. A distance of at least one metre should be maintained between people wherever practical.

The Ministry of Health has the following suggestions for minimising contact, but you will need to decide which of these measures are practicable:

- Where possible avoid meeting people face-to-face – use the telephone, video conferencing and the internet to conduct business as much as possible – even when participants are in the same building.
- Avoid any unnecessary travel and cancel or postpone non-essential meetings, gatherings, workshops or training sessions.
- Avoid public transport: walk, cycle, drive a car or go early or late to avoid rush hour crowding on public transport.
- Bring lunch and eat away from others (avoid the staffroom and crowded cafes). Introduce staggered lunchtimes and morning teas to reduce numbers in the staffroom. Consider how the school cafeteria or tuck shop should be managed.
- Do not congregate in staffrooms or other areas where people socialise. Do what needs to be done and then leave the area.
- If a face-to-face meeting with people is unavoidable, minimise the meeting time, choose a large meeting room and sit at least one metre away from each other if possible. Avoid shaking hands or hugging. Consider holding meetings via conference call or outside.
- Set up systems where families and staff can request information via phone, email or fax and have information ready for fast pick-up or delivery.
- Encourage students and staff to avoid recreational or other leisure classes or meetings where they might come into contact with infectious people.

Managing staff and students who become ill

In the event of a pandemic, it is recommended that the school check the [Ministry of Health](#) website for the latest advice. If a person feels ill or someone observes that another person is exhibiting symptoms of influenza, they are to contact the “pandemic manager”, by telephone if possible.

Contact management

Contact definition

The Ministry of Health defines pandemic influenza contacts as people who, during the infectious period of a suspected or confirmed case, were:

- household members of the case
- close workplace contacts of the case, including people sharing an office or cubicle area or whose work brought them into close physical proximity (sitting within 1 metre for at least 15 minutes) with the case, but not people who share general office space
- members of the case’s class or child care group (up to and including tertiary education) with whom most of the day is spent and who spent at least 15 minutes within 1 metre of the case; this definition could include the teacher or child care supervisor

- identified by the case as being in close physical contact (eg hugging, kissing, sitting within 1 metre for at least 15 minutes) with the case.

People who have not been in close proximity nor shared a confined airspace with a sick person within four days of that person developing symptoms, are not considered to be contacts.

Note that the contact definition may change, depending on the nature of the pandemic virus when a pandemic occurs. Up to date contact definitions will be placed on the Ministry of Health and Ministry of Education web sites

Contact management mandated by law

Under the [Health Act 1956](#), both highly pathogenic avian influenza (HPAI) and influenza are classed as infectious diseases. HPAI is also a notifiable disease, meaning that some additional provisions of the Health Act apply to it, over and above the provisions that apply to influenza. To reduce the risk of further infection contacts will be expected to stay at home and avoid contact with others for a recommended period. This period will be set by health officials and is not at the discretion of employers.

In any circumstance, boards, chief executives, principals and managers should urge sick staff members with influenza-like symptoms to return home immediately and contact a health professional. For sick students this will need to be done through parents/whānau.

As indicated in the previous section, it is helpful for boards of trustees and principals to:

- identify contacts (once anyone from the school is suspected to be infected)
- advise contacts in person that they have been in contact with a person suspected of having influenza
- ask contacts to go home and stay at home until advised otherwise.

Staff and student travel

The [Ministry of Foreign Affairs and Trade](#) and [Ministry of Health](#) will publish appropriate travel advisories for people travelling to other countries infected by the pandemic. They will also provide advice for government staff and other New Zealanders in infected areas.

Once a pandemic is recognised, our border may immediately be closed to all incoming passengers and aircrew, possibly for several days.

It is likely that quarantine measures will be set up before passenger movements resume. It is possible that all incoming people will be required to complete at least eight days quarantine before being allowed past the border. These arrangements may change so check relevant websites at the time.

If your staff and/or students travel overseas your plan will need to consider their management in the event of a pandemic. Similarly, students from overseas or New Zealand students returning to New Zealand will need consideration in the event of a pandemic. For example, on declaration of a pandemic, if any staff or students have recently (within the last four or five days) visited countries known to be affected by the disease, you should:

- Advise the person (or the parents/whānau for a student) not to attend Marist Catholic School for the duration specified by [Ministry of Health](#) for the disease.

- Ask them to follow instructions on [Ministry of Health](#) website for self-checking for influenza symptoms, which may include advice to telephone (rather than visit) their medical centre to seek advice immediately if symptoms occur.
- Check on the staff member or student during his or her absence.
- Establish a process for ensuring that the staff member or student has completed the appropriate quarantine and is healthy before allowing them to return.

Personal protection equipment (PPE)

In the event of a pandemic refer to [Ministry of Health](#) website for the latest information.

Using masks

People with influenza symptoms should use a disposable surgical mask to help prevent exposing others to their sneezes and coughs. Used masks must be disposed of as soon as they become moist or after any cough or sneeze, and hands must be thoroughly washed and dried after the used mask has been discarded.

Protective barriers

Protective barriers in the form of perspex or glass may provide useful protection for people such as front-reception staff, whose duties require them to have frequent face-to-face contact with members of the public where social distancing is either not possible or not practical.

1. Best practice guidelines for hand hygiene

Effective hand washing and drying routines are a primary means of reducing infections in students and staff.

Many diseases causing viruses and bacteria are carried on hands and can be passed from person to person through direct contact with the person's hands or through objects or food that the person has touched.

Students should be encouraged to take responsibility for their own hand washing and drying but to do so they need a supportive environment.

Recommended technique for good hand hygiene practice

- Wet hands, preferably with warm water and apply liquid soap
- Rub hands vigorously together and rub all areas
- Wash for 20 seconds (about the same time as it takes to sing Happy Birthday)
- Rinse well and dry hands thoroughly, the following examples are considered thorough:
 - 20 seconds by paper towel (2 towels 10 seconds on each towel)
 - 20 seconds by clean roller towel
 - 45 seconds by air dryer
 - 10 seconds by towel followed by 20 seconds by air dryer

Times when hands should be washed

- After coughing or sneezing (when the hands have been used to cover the mouth or nose)
- After using the toilet or after handling animals
- Before, during and after the preparation of food
- When hands are dirty
- More often if someone is sick

Rationale and tips for use of:

Liquid soap

- Lowers the likelihood of the transfer of infection from person to person.
- Wall mounted dispensers are preferable to hand held dispensers.
- Pump action dispensers help reduce soap wastage.
- Research the best soap and dispenser deal, getting a free dispenser from a supplier might be a good option, but beware of deals that lock you into higher priced bulk soap.

Paper towels

- Lower the likelihood of the transfer of infection from person to person.
- To make these more economical, half-sized paper towels are available that can be used with standard dispensers.
- Research the best towel and dispenser deal.

Roller towels

- Ensure these are the type that roll and retract once used to avoid spread of infection.
- Younger students may find these difficult to use.

Air dryers

- Hands must be dried thoroughly to stop the spread of infection (takes approx 45 seconds).
- Younger students may find air dryers frightening to use.

Warm water

- Warm water is preferable to cold water.
- Providing warm water improves compliance of people washing their hands at all. What proportion of students will put their hands under ice-cold water in the winter?
- If warm water is supplied, it must not exceed a temperature of 40°C.

Wash troughs

- A long stainless steel wash trough has several advantages over basins that make them economic to install and maintain.
- A wash trough with enough space for five students to use only takes the space of three wash hand basins.
- By having temperature controlled warm water (40°C maximum), you only need warm water taps, not cold taps. This means for example, five taps for five students instead of six taps for three students.
- A wash trough only needs one waste outlet. Three basins need three outlets.
- Wash troughs are easier to clean than multiple hand basins.

A. Hand hygiene notices

PROTECTING YOURSELF AND OTHERS AGAINST RESPIRATORY ILLNESS

HANDWASHING IS THE MOST IMPORTANT THING YOU CAN DO TO
PROTECT YOURSELF


- Cover your nose and mouth when coughing or sneezing
- Use a tissue and dispose of this once used
- Always wash hands after coughing and sneezing or disposing of tissues
- Keep your hands away from your mouth, nose and eyes.
- Avoid contact with individuals at risk (eg, people with underlying or chronic illnesses such as immune suppression or lung disease) until the influenza- like symptoms have resolved.
- Avoid contact with people who have influenza-like symptoms.
- Ask students to use a tissue and cover their nose and mouth when coughing or sneezing and to wash and dry their hands afterwards.

Hand Hygiene with Soap and Water

**1. Remove jewelry.
Wet hands with warm
water**



2. Add soap to palms



**3. Rub hands
together to create a
lather**



**4. Cover all surfaces of
the hands and fingers**



**5. Clean knuckles,
back of hands and
fingers**



**6. Clean the space
between the thumb
and index finger**



**7. Work the finger tips
into the palms to
clean under the nails**



**8. Rinse well under
warm running water**



**9. Dry with a single-
use towel and then
use towel to turn off
the tap**



Minimum wash time 10-20 seconds.

Hand Hygiene with Alcohol-based Hand Sanitizer

1. Remove jewelry. Apply enough product to open palms.**



2. Rub hands together palms to palms



3. Rub in between and around fingers




4. Cover all surfaces of the hands and fingers



5. Rub backs of hands and fingers. Rub each thumb.



6. Rub fingertips of each hand in opposite palm



7. Keep rubbing until hands are dry.

****The volume required to be effective varies from product to product. Enough product to keep hands moist for 15 seconds should be applied.**

Do not use these products with water. Do not use paper towels to dry hands.


Note: Wash hands with soap and water if hands are visibly dirty or contaminated with blood or other body fluids. Certain manufacturers recommend washing hands with soap and water after 5-10 applications of gel.

B. Screening flowchart

For detection and management of suspected pandemic influenza cases

Process

1. Your school's influenza manager receives a call from a person suspecting they may have influenza, or from a staff member who has noticed a child who may be ill.
2. Avoid contact with the sick person if possible and manage the process over the telephone.
3. For someone at the school who is ill, follow the flowchart below:



INFLUENZA NOTIFICATION

Influenza is a contagious disease.

There is currently an increase in the numbers of people in New Zealand with influenza. To prevent the spread of influenza here:

DO NOT ENTER if you have:

- chills, shivering and a fever (temperature above 38°C) onset muscle aches and pains
- sore throat
- dry cough
- trouble breathing
- Sneezing
- stuffy or runny nose tiredness

If you start to feel ill at school or are showing any of the symptoms listed above,

DO NOT leave your area.

Call the influenza manager Phone
ext.....

INFLUENZA NOTIFICATION

Influenza is a contagious disease.

There is currently an increase in the numbers of people in New Zealand with influenza.

To prevent the spread of influenza in this school, you must tell your teacher if you have any of the following flu symptoms:

- chills, shivering and a fever onset of muscle aches and pains sore throat
- dry cough
- trouble breathing
- Sneezing
- stuffy or runny nose
- tiredness

E. School closure sign

**SCHOOL
CLOSED**

DUE TO THE INFLUENZA PANDEMIC,

THIS SCHOOL IS CLOSED UNTIL FURTHER NOTICE

Marist Catholic School

DO NOT ENTER

For urgent enquiries, contact

021 853387

F. Suspected Influenza Notification Form

Details of Affected Staff/Students

Name:	Site:	Location of isolation:
Job title:	Nationality if visitor to site:	Date of birth: (optional)
Address:		
Telephone no: (W) (H) (M)		
Symptoms noticed: Fever Body Aches Headache Fatigue Dry cough Cold Other: Details _____ Time of fever on-set: _____ Time of isolation: _____		
Travel history over the past eight days: Countries visited: _____ Flights taken: _____		
Where referred:		
Contact List (See separate page)		
Where referred:		
Contact List (See separate page)		

Details of Reporter

Name:
Job title:
Telephone no:

G. Contact list

The Ministry of Health currently defines pandemic influenza contacts as people who have had close physical (less than one metre), or confined airspace contact with an infected person, within four days of that person developing symptoms. These are likely to include family members and/or other living companions, workmates, other students in the class/school (if in close contact situations or confined airspace environments), and some recreational companions.

Note that the definition of a contact is likely to change once the nature of the pandemic strain is known. Schools should refer to the Ministry of Health website during a pandemic for up-to-date guidance.

Retain this list and provide to the Medical Officer of Health or his/her designated officer on request.

People the affected person has interacted with since displaying symptoms			
Name	Email	Telephone number	Address
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			

H. Personal Protective Equipment (PPE) Guidelines

The Department of Labour and Ministry of Health websites have guidelines which may help you decide on appropriate personal protective equipment to protect staff and children in your school. The Department of Labour also has an article about Personal Protective Equipment (PPE) and practices and influenza pandemic preparedness.

Suggested list

The following generic list approved by the Department of Labour can be used as a starting point for your pandemic preparations. It is an 'over-the-top' list to cover all contingencies. Eketahuna School will work towards stockpiling the following.

<i>Emergency Pandemic Supplies</i>
Suggested list - stock pile supplies for one to two weeks
Breathing mask (box 50) 3 per person per day
Eye goggles (1 per staff dealing closely with sick person)
Latex / non-latex gloves (100s) 10 per staff per day
Disposable apron for staff (1 per staff per day)
Tissues (box 200) 3 boxes per person per week
Paracetamol (box 20) 1 box per adult per week;
Paracetamol (suspension) 50mls per child per week
Disinfectant (2 litres) 1 bottle per 15 people per day
Janola (2 litres) 1 bottle per 15 people per day
Cleaning fluid (1 litre) 1 bottle per 15 people per day
Toilet paper minimum 2 rolls per person per week
Paper towels (2 packets per person over 3 weeks)
Carton of Chux Cloths
Liquid soap/alcohol wash (1 litre)

Staff education and training undertaken as part of First Aid certificate courses attended.

- preventative guidelines
- staff awareness
- documentation

I. Letter to parents/caregivers: introduction to pandemic planning

Marist Catholic School Herne Bay

82 Kelmarna Ave
Herne Bay, Auckland 1011
Ph (09) 376 7173
Email: office@maristschool.co.nz
Web: www.maristhernebay.school.nz



Dear Parents / Caregivers

Most of you will be aware that we are starting to see signs of a possible increase in the '[name]' **virus**. International health experts are concerned that the virus could mutate to pass easily between humans, leading to a global pandemic.

The government is preparing plans to protect the country from a possible influenza pandemic.

Marist Catholic School has an emergency management plan that covers most emergencies, such as fire and earthquake. Using resources provided by the Ministry of Education, we are now updating our emergency management plan to include plans for coping with a pandemic.

We will keep you informed as our pandemic plan develops. Meanwhile, you can reduce the risk of your child catching influenza by:

- Teaching your child(ren) the importance of hand washing – especially before meals and after toileting.
- Teaching your child(ren) to use a disposable tissue when coughing or sneezing.
- Keeping your child(ren) at home if they have the flu.

An important part of emergency planning is ensuring we have **up-to-date contact details** for all students and staff. Please ensure that you **complete and return the attached form**. Your personal details will not be used for any other purpose other than in the context of emergency management.

If you have any questions or concerns at this stage, please contact me directly.

Yours sincerely

(Principal's Name)

Principal

J. Contact details

Please take time to fill out this form with up-to-date contact details for you as parents/caregivers of your child (or children) at school. Please also provide two local emergency contacts of people your child knows (eg, family/friends) who could take care of your child in an emergency:

Date: _____

Family name: _____

Name(s) of child (ren): _____

1.

Parent/caregiver: _____

Home phone: _____

Work phone: _____ Mobile phone: _____

2.

Parent/caregiver _____

Home phone: _____

Work phone: _____ Mobile phone: _____

3.

First emergency local contact (eg, friend or family member):

Name _____

Home phone: _____

Work phone: _____ Mobile phone: _____

4.

Second emergency local contact (eg, friend or family member):

Name _____

Home phone: _____

Work phone: _____ Mobile phone: _____

K. Pandemic Stage 2

Marist Catholic School Herne Bay

82 Kelmarna Ave

Herne Bay, Auckland 1011

Ph (09) 376 7173

Email: office@maristschool.co.nz

Web: www.maristhernebay.school.nz



Dear Parents / Caregivers

The government has announced that New Zealand is stepping up its pandemic influenza response plans. This means that the situation overseas has changed and New Zealand's borders have been tightened in an attempt to stop the virus getting here.

We are talking with health and civil defence officials and we have been advised that there is no reason for alarm. We will remain open until further notice. Our own pandemic plans mean that we have systems in place to help us cope if anything changes.

The most important thing you can do as parents and caregivers is reinforce healthy messages:

- Teach your children the importance of hand washing and drying – especially before meals and after toileting.
- Teach your children to use a disposable tissue when coughing or sneezing.

We ask that all children or students showing flu like symptoms be kept home until checked and okayed by a doctor or nurse to return. **The symptoms of influenza and how they differ from common cold symptoms are included with this letter.**

We are updating our **emergency contact details** for all students and staff. Please **complete the attached form and return it to your child's/student's classroom teacher.**

The board of trustees and I are working closely with staff to ensure that all students are kept as safe as possible.

If you have any questions or concerns please contact me directly. Thank you.

Yours sincerely

(Principal's Name)

Principal

L. The difference between influenza and a common cold

SYMPTOM	INFLUENZA	COMMON COLD
Fever	Usual, sudden onset 38o-40o and lasts 3-4 days.	Rare
Headache	Usual and can be severe	Rare
Aches and pains	Usual and can be severe	Rare
Fatigue and weakness	Usual and can last 2-3 weeks or more after the acute illness	Sometimes, but mild
Debilitating fatigue	Usual, early onset can be severe	Rare
Nausea, vomiting, diarrhoea	In children over 5 years	Rare
Watering of the eyes	Rare	Usual
Runny, stuffy nose	Rare	Usual
Sneezing	Rare in early stages	Usual
Sore throat	Usual	Usual
Chest discomfort	Usual and can be severe	Sometimes, but mild to moderate
Complications	Respiratory failure; can worsen a current chronic condition; can be life threatening	Congestion or ear-ache
Fatalities	Well recognised	Not reported
Prevention	Influenza vaccine; frequent hand-washing; cover your cough	Frequent hand-washing, cover your cough

2. Background information on influenza pandemic

What is an influenza pandemic?

Influenza pandemics are characterised by the spread of a novel type of influenza virus to many parts of the world, causing unusually high morbidity (illness) and mortality (deaths) for perhaps two to three years. Most people do not have immunity to the virus and therefore are susceptible to influenza infection. A pandemic can overwhelm the resources of a society due to the exceptional number of those affected.

A pandemic may occur as a result of the emergence of a new viral sub-type with the capacity to spread efficiently from human to human.

Where can we find international information updates?

The [World Health Organisation](#) website provides updates on the global occurrence of avian influenza, risks to humans, vaccine and anti-viral developments. It also provides useful background information about the nature and characteristics of avian influenza and past pandemics.

The New Zealand [Ministry of Health](#) also provides much relevant information.

What are the symptoms of influenza?

Influenza is a highly contagious viral disease of the respiratory tract, characterised by rapid onset of respiratory and generalised signs and symptoms including: a high fever, headache, muscle aches and pains, fatigue, cough, sore throat, or a runny nose.

How is influenza spread?

Influenza is spread from person to person in the respiratory droplets generated by coughs and sneezes. It can also be spread when a person comes into contact with the respiratory droplets of another person by touching items on which droplets are present, and then touches their own eyes, mouth or nose before washing their hands. The virus may enter through the eyes or more commonly through the nose or mouth, and into the throat and lungs where it begins to multiply. The time from first exposure to when symptoms begin is one to four days.

The disease damages the linings of the respiratory tract. Secondary bacterial infections, such as pneumonia, meningitis, sinus and ear infections can then take hold.

How long is the influenza virus infectious?

It is not known for certain if people with influenza are infectious before developing symptoms. An adult with influenza is infectious once they show symptoms, and for some days after. Students have been shown to remain infectious for up to 21 days, long after symptoms have disappeared. Some individuals may become infected but never show symptoms.

Influenza viruses may be able to live for up to two days on hard surfaces such as doorknobs, handrails, toys, cups, utensils, telephones. Although it can live on these surfaces it is not as infectious as these surfaces are usually dry.

Will a vaccine against pandemic influenza be available?

Vaccines are virus-specific, so pandemic vaccines cannot be produced until the specific pandemic virus has been identified. The time lapse between virus recognition and production is likely to be at least several months, largely because of technical issues around vaccine production. The Ministry of Health is working to ensure New Zealand gets access as quickly as possible to a vaccine once it is developed and available.

Given that the first supplies of vaccine against a novel strain of influenza are unlikely to be available quickly, it is possible that New Zealand would have suffered at least one pandemic wave before a vaccination campaign can provide population immunity.

3. Sample decision making and communication tree

Schools should follow Ministry of Health advice at every stage of a pandemic. Ministry of Health announcements will be made through media reports and on their website. There will also be direct communication with education organisations from the Medical Officer of Health (DHB).

Any directions to close schools will come from health authorities. The Ministry of Education will assist health authorities to communicate these directions.

Pandemic planning - decision making and communication process for schools

